

GHS Safety Data Sheet

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

918970

CALONE®

dsm-firmenich product

EU Specific Identifiers:

EC CAS: 0028940-11-6

EC No: 249-320-4

EU REACH No: 01-2120734453-58

2H-1,5-Benzodioxepin-3(4H)-one, 7-methyl-

1.2 Relevant identified uses of the substance or mixture and uses advised against

Fragrance ingredient for use in consumer products.

Not for personal use in this form or concentration.

Intended to be used in the manufacture of products for consumers.

1.3 Details of the supplier of the safety data sheet

Firmenich Grasse SAS

Parc Industriel Les Bois de Grasse

106 Avenue Louison Bobet

06130 Grasse

FRANCE

Tel: +33 (0)4 93 70 80 80

P&B.RA.EU@dsm-firmenich.com

1.4 Emergency telephone number

+44 1235 239 670 Available 24/7 (NCEC)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Skin Corrosion - Cat. 1B	H314
Eye Damage - Cat.1	H318
Specific Target Organ Toxicity - Single Exposure - Cat. 3 Narcotic Effects	H336

Additional information

Full text of listed statements : See section 16

2.2 Label elements

Hazard pictograms:



Signal Word:

Danger

Hazard Statements:

H314	Causes severe skin burns and eye damage.
H336	May cause drowsiness or dizziness.

Precautionary Statements:

P260	Do not breathe dust.
P261	Avoid breathing dust.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water/shower.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

2.3 Other hazards

No data available at this time.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS



3.1 Substance

Chemical substance.

Contains :	GHS Classification:
>= 99.0 <= 100.0% EU Specific Identifiers: N° EU REACH: 01-2120734453-58 EC CAS: 0028940-11-6 2h-1,5-Benzodioxepin-3(4h)-One, 7-Methyl- N° EC: 249-320-4	Skin Corrosion - Cat. 1B [H314] Eye Damage - Cat.1 [H318] Specific Target Organ Toxicity - Single Exposure - Cat. 3 Narcotic Effects [H336]

SCL/M-factor/ATE:

None

SECTION 4: FIRST-AID MEASURES

4.1 Description of first aid measures

General information:

As in all cases of potential poisoning, Obtain medical advice immediately.

In case of eye contact:

Irrigate copiously with water for at least 10 minutes. Obtain medical advice if any irritation or evidence of tissue damage persists.

In case of inhalation:

Remove the individual to fresh air and keep at rest. Obtain medical advice immediately.

In case of skin contact:

Remove contaminated clothes. Wash skin with large volumes of water.

If irritation persists, or any sign of tissue damage is apparent, obtain medical advice immediately.

In case of ingestion:

Rinse mouth with water. Obtain medical advice immediately.

4.2 Most important symptoms and effects, both acute and delayed

No specific data available.

4.3 Indication of immediate medical attention and special treatment needed

No specific data available.



SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

In the event of fire, adequate extinguishers should be used. Avoid inhalation of smoke and fumes. In case of insufficient ventilation, wear suitable respiratory equipment.

5.2 Special hazard arising from the substance or mixture

No specific hazard known.

5.3 Advice for fire-fighters

No specific advice.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:

Adequate protective gloves should be worn when handling spillages. No smoking. Avoid naked flames or other potential sources of ignition (eg. electrical equipment).

Avoid skin contamination and inhalation of dust.

Individual washing routines should be followed after any potential contact.

Ensure adequate ventilation in working areas following accidental releases.

For emergency personnel:

Apply the same recommendations as section 6.1

6.2 Environmental precautions

Do not discharge directly into drains, air, into soil or into the aquatic environment.

6.3 Methods and material for containment and cleaning up

For containment:

For cleaning-up:

Spillages should be disposed of in accordance with Governmental Regulations.

SECTION 7: HANDLING AND STORAGE



7.1 Precautions for safe handling

Keep strict control of dust accumulation to a minimum.

Avoid contact with skin and eyes.

Wear adequate protective gloves protection and eye/face protection.

No smoking. Avoid any source of ignition. Use flameproof electrical equipment and spark-reduced tools. Ensure that all equipments are properly bonding and earthing.

Avoid exposing to high temperature during processing.

Do not ingest or apply to the skin as such. Good personal washing routines should be followed.

Maintain adequate local and general ventilation where product is handled.

Protective measures

Keep strict control of dust accumulation to a minimum. Maintain adequate local and general ventilation where product is handled. Avoid any sources of ignition.

Advice on general occupational hygiene

Good personal washing routines should be followed.

7.2 Conditions for safe storage, including any incompatibilities

It is good general practice to store in closed, preferably full, containers away from heat sources, and protected from extremes of temperature. Do not re-use the empty container.

Respect generals rules for compatibility storage.

7.3 Specific end use(s)

Not available at this time.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Contains no substances with occupational exposure limit values

Derived No Effect Level (DNEL)

Hazard conclusion Worker (dermal), systemic effects - long-term, No hazard identified.

Hazard conclusion Worker (dermal), systemic effects - acute, Low hazard (no threshold derived) (irritation)

Hazard conclusion Worker (dermal), local effects - acute & long-term, Medium hazard (no threshold derived) (irritation)

Hazard conclusion Worker (dermal), systemic effects - long-term, No hazard identified.

Hazard conclusion Worker (dermal), systemic effects - acute, Low hazard (no threshold derived) (irritation)

Hazard conclusion Worker (dermal), local effects - acute & long-term, Medium hazard (no threshold derived) (irritation)

Hazard conclusion Worker (inhalation), systemic effects - long-term, No hazard identified.

Hazard conclusion Worker (inhalation), local effects - acute & long-term, Low hazard (no threshold derived) (irritation)



Hazard conclusion Consumer (inhalation), systemic effects - long-term, No hazard identified.
Hazard conclusion Consumer (inhalation), systemic effects - acute, Low hazard (no threshold derived) (irritation)
Hazard conclusion Consumer (inhalation), local effects - acute & long-term, Medium hazard (no threshold derived) (irritation)

Predicted No Effect Concentration (PNEC)

PNEC Aqua (freshwater) No hazard identified.
PNEC Aqua (marine water) No hazard identified.
PNEC Water (intermittent release) No hazard identified.
PNEC Sediment (freshwater) No hazard identified.
PNEC Sediment (marine water) No hazard identified.
PNEC STP No hazard identified.
PNEC Soil No hazard identified.
PNEC Air No hazard identified.
PNEC Oral (secondary poisoning) No potential for bioaccumulation

8.2 Exposure controls

Avoid exposing to high temperature during processing.
Maintain adequate local and general ventilation where product is handled.

Appropriate engineering controls

Maintain adequate local and general ventilation where product is handled and dispensed.

Environmental exposure controls

Not available at this time. Minimize release to the environment.

Personal protection

Respiratory protection: Where ventilation (LEV) is inadequate to prevent any inhalation of substances, use adequate respiratory apparatus.

Hand protection: Use chemical resistant gloves classified under Standard EN 374: Protective gloves against chemicals. Preferred glove barrier materials: Neoprene and Nitrile. When prolonged or frequently repeated contact may occur, a glove with a protection class of 4 or higher (breakthrough time greater than 120 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 1 or higher (breakthrough time greater than 10 minutes according to EN 374) is recommended. Thickness > or = 0,2mm. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Eye protection: Adequate safety glasses should be used.

Skin protection: Wear protective clothing, overall if necessary to limit the odour contamination of personal clothing. Individual washing routines should be followed after any potential contact.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES



9.1 Information on basic physical and chemical properties

Physical form:	CRYSTALLINE POWDER
Colour :	WHITE
Odour :	Characteristic strong odour according to the commercial description of the substance.
Melting point/freezing point (°C):	= 37.9 °C (OECD 102)
Boiling point or initial boiling point and boiling range (°C):	= 267 °C (OECD 103)
Flammability:	Not expected
Lower and upper explosion limit:	Not applicable, the product is a solid.
Flash point:	> 100°C
Auto-ignition temperature (°C) :	Data on analogue - = 400 °C at 101.79 to 102.18kPa (Method A15)
Decomposition temperature :	No decomposition if stored and applied as directed.
pH:	Not determined
Kinematic viscosity:	Not applicable, the product is a solid.
Water solubility (20°C) :	= 13700 mg/l at 20°C (OECD 105)
Partition coefficient n-octanol/water (log value):	Log Kow = 1.95 (OECD 117)
Vapour pressure (Pa) :	VP = 0.87 Pa at 25°C (OECD 104)
Density and/or relative density:	= 1.353 at 21.6°C (OECD 109)
Relative vapour density:	Not determined
Particle characteristics:	Not determined

9.2 Other information

9.2.1. Information with regard to physical hazard classes

None

9.2.2. Other safety characteristics

c) formation of explosible dust/air mixtures

No data available at this time.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No reaction known with water.



10.2 Chemical stability

Good stability at standard temperature.

10.3 Possibility of hazardous reactions

Not known.

10.4 Conditions to avoid

Avoid temperatures above or at least 5 °C below flash point for any flammable liquids.

Do not heat closed containers.

Avoid contact with oxidizing agents.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

Contact with water or storage under recommended conditions for one year should not produce dangerous decomposition products.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

(a) acute toxicity

Acute oral toxicity (Rat, OECD 420, Gavage): LD50 > 2000 mg/kg

(b) skin corrosion/irritation

In vitro Skin Corrosion - Human skin model (EpiDerm, OECD 431): Corrosive (Equivalent to Exposure Time >3min to <60 min and Observation Time ≤14 days)

In vitro Skin irritation (EpiSkin, OECD 439): Irritant

(c) serious eye damage/irritation

No data available

(d) respiratory or skin sensitisation

Local Lymph Node Assay (LLNA) OECD 429: Non-sensitising to skin

Skin sensitization Antioxidant Response Element (ARE) assay (Human): Non-sensitising to skin

(e) germ cell mutagenicity

Bacterial Reverse Mutation test (Ames) (Salmonella + E. Coli, OECD 471, With and without S9, 5 strains): Non mutagenic

In vitro mammalian cell gene mutation test (Mouse, L5178Y cells, OECD 476, TK6 assay): Non mutagenic

Data on analogue - In vitro Mammalian Chromosome Aberration Test (Human, OECD 473): No chromosomal aberration

(f) carcinogenicity



No data available

(g) reproductive toxicity

Combined Repeat. Dose Tox. & Reprod./Develop. Tox. Screening (Rat, OECD 422, Dietary, => 5 weeks): NOEL

(reproduction) = 791 - 1768 mg/kg/day

NOAEL = 791 - 887 mg/kg/day

NOAEL (development) = 791 - 1768 mg/kg/day

(h) STOT-single exposure

No data available

(i) STOT-repeated exposure

No data available

(j) aspiration hazard

No data available

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

No data available

11.2.2 Other information

No data available

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Alga, Growth Inhibition Test (Pseudokirchneriella subcapitata, OECD 201, Static): 72h ErC10 = 83.54 mg/l (Based on nominal concentration)

72h ErC50 > 100 mg/l (Based on nominal concentration)

Daphnia sp. Acute Immobilisation Test (OECD 202, Static): 48h EC50 > 100 mg/l (Based on nominal concentrations)

Fish, Acute Toxicity Test (Zebra fish, OECD 203, Semi-static): 96h LC50 > 100 mg/l (Based on nominal concentration)

12.2 Persistence and degradability

Ready Biodegradation - Manometric Respirometry Test (OECD 301F, Sludge): Non readily biodegradable (7% in 28 day(s))

12.3 Bioaccumulative potential

Log Kow = 1.95 (OECD 117)



12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not applicable

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product: Dispose of as special waste in compliance with local and national regulations. Do not dump into any sewers, on the ground, or into any body of water.

Contaminated packaging: for used, contaminated and residual materials additional evaluations may be required.

European waste disposal number: No waste code from the European waste catalog can be assigned to this product, because only the use made by the user allows this attribution. The waste code is established in consultation with waste disposal services.

SECTION 14: TRANSPORT INFORMATION

In case of accidental spillage or fire during transport, refer to instructions given under points 5, 6, 7 and 8 above.

	UNO	Land transport (ADR/RID)	Sea transport (IMDG-Code)	Air transport (ICAO-IATA)
14.1 UN-No:	1759	1759	1759	1759
14.2 Proper Shipping Name:	CORROSIVE SOLID, N.O.S. (CALONE)	CORROSIVE SOLID, N.O.S. (CALONE)	CORROSIVE SOLID, N.O.S. (CALONE)	CORROSIVE SOLID, N.O.S. (CALONE)
14.3 Class:	8	8	8	8
14.4 Packing Group:	II	II	II	II
14.5 Environmental hazards:	Not applicable	Not applicable	Not applicable	Not applicable



14.6 Special precautions for user:	Refer to section 7	Refer to section 7	Refer to section 7	Refer to section 7
14.7 Maritime transport in bulk according to IMO instruments:	Not applicable	Not applicable	Not applicable	Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

European Regulations

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2 Chemical Safety Assessment

Chemical Safety Assessment has been carried out.

SECTION 16: OTHER INFORMATION

Revisions

March-2025 : Version 14.0 - Updates to sections 1, 2, 3, 9, 14, 15, 16

November-2025 : Version 14.1 - Updates to sections 15, 16

Key literature references

RIFM database

REACH

Supplier information

Full text of phrases used under section 2

H314	Causes severe skin burns and eye damage.
H336	May cause drowsiness or dizziness.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.



P303+P361+P353	IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P363	Wash contaminated clothing before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Full text of phrases used under section 3

H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H336	May cause drowsiness or dizziness.

We believe that the information contained herein is current as of the date of this Safety Data Sheet. Since the use of this information and the conditions of use of the product are not within the control of dsm-firmenich, it is the user's obligation to determine conditions of safe use of the product.

Information contained in this document and related material is proprietary to dsm-firmenich. Disclosure to third parties without the prior written consent of dsm-firmenich except where required by applicable laws and regulations and/or reverse engineering are strictly prohibited.