



MATERIALS SAFETY DATA SHEET

Absolute Oil: Sandalwood By-Absolute

SDS Created: 10 March 2023

SECTION 1: IDENTIFICATION OF THE PRODUCT AND COMPANY

1.1 Globally Harmonized System (GHS) product identifier

Product name: Sandalwood By-Absolute

Latin name of botanical source: *Santalum austrocaledonicum* Vieill.

INCI Name: Santalum Austrocaledonicum (sandalwood) Wood Extract

1.2 Other means of identification

Item number/size: 907 – Various sizes not to exceed 33.81 Fluid Ounces or 1 Liter.

1.3 Recommended use of the chemical and restrictions on use:

Aromatherapy, natural perfumery, as recommended. Do not ingest.

1.4 Supplier's details:

Aromology

G 15 Union Coop Mall, Nadd

Al Hamar, Dubai. UAE

+971505197601

1.5 Emergency telephone number:

For Transport Emergencies

Only: +971505197601

SECTION 2: HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture


Skin Corrosion/Irritation, Category 2

Skin Sensitization, Category 1B

Hazardous to aquatic environment Long term/Chronic, Category 2

2.2 GHS label elements, including precautionary statements

Signal Word	Hazardous Statement	Precautionary Statement	Hazard Pictograms
-------------	---------------------	-------------------------	-------------------

Warning	H315 – Causes skin irritation H317 – May cause an allergic skin reaction H411 – Toxic to aquatic life with long lasting effects	P102 – Keep out of reach of children P264 –Wash hands thoroughly after handling. P280 – Wear protective gloves/protective clothing/eye protection/face protection. P302 + P352 – IF ON SKIN: Wash with plenty of water/soap. P362 + P364 – Take off contaminated clothing and wash it before reuse. P261 –Avoid breathing dust/fume/gas/mist/vapours/spray. P272 –Contaminated work clothing should not be allowed out of the workplace. P333 + P313 –If skin irritation or rash occurs: Get medical advice/attention. P273 – Avoid release to the environment. P391 – Collect spillage.	
---------	---	---	--

		P501 – Dispose of contents/container to an approved waste disposal plant.	
--	--	---	--

2.3 Other hazards that do not result in classification

May cause skin irritation/allergy. Patch test recommended.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Composition

Chemical Name (common name)	CAS# TSCA	CAS# EINECS	ICSC#	RTECS#	UN#	EINECS#	% by weight
Santalum Austrocaledonicum Wood Extract	1070895-66-7	91845-48-6	N/A	N/A	3082	295-223-5	100%
EU Allergens							
Coumarin	91-64-5	N/A	N/A	N/A	N/A	N/A	≤ 0.008%
Geraniol	106-24-1	N/A	N/A	N/A	N/A	N/A	≤ 0.002%
Linalool	78-70-6	N/A	N/A	N/A	N/A	N/A	≤ 0.09 %

SECTION 4: FIRST-AID MEASURES

4.1 Description of necessary first-aid measures (of Substance)

Eye contact:

Check for and remove any contact lenses. Flush with water for 15 minutes. If symptoms persist get medical attention.

Skin Contact:

No harmful effect with normal skin. If skin irritation does occur, wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

Inhalation:

Not likely to occur under normal conditions of use. If symptoms occur, move to fresh air and obtain medical advice.

Ingestion:

Not an expected route of exposure. In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with milk or water and consult a doctor. Keep the exposed person at rest. Do NOT force vomiting unless directed to do so by medical personnel. Seek immediate medical attention and show the Substance's label to medical personnel.

4.2 Most important symptoms and effects, both acute and delayed (of Substance)

Eye contact:

May cause eye irritation and corneal damage if not immediately rinsed out.

Skin Contact:

Repeated contact may cause allergic dermatitis.

Inhalation:

Breathing high concentrations of vapor may cause anesthetic effects.

Ingestion:

Not an expected route of exposure.

4.3 Indication of any immediate medical attention and special treatment needed (of Substance)

None known.

5: FIRE-FIGHTING MEASURES

5.1 Flash point

100°C

5.2 Extinguishing media

Suitable extinguishing media: sprayed water or water mist, alcohol-resistant foam, multipurpose ABC powder, BC powder, carbon dioxide (CO2)

Unsuitable extinguishing media: water jet (straight stream).

5.3 Specific hazards arising from the chemical

None known.

5.4 Special protective actions for firefighters

Use self-contained breathing apparatus and protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Stop leak if you can do so without risk. Consult safety measures listed under Sections 7 and 8.

For fire-fighters:

Fire-fighters will be equipped with suitable personal protective equipment (See Section 8). High temperature may increase the pressure inside the container—cool the container by sprinkling water. Avoid breathing emitted vapors.

6.2 Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.

6.3 Methods and material for containment and cleaning up

Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid unintentional contact with skin surfaces. Wear suitable protective clothing. Avoid inhalation. Ensure good ventilation or exhaust in workplace. Do not allow contact with eyes. Always wash hands after handling. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in closed glass containers, away from heat, light and other sources of ignition. Store in cool area.

SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION

8.1 Control parameters

OSHA TWA: None established

OSHA STEL: None established

ACGIH TWA: None established

ACGIH STEL: None established

NOHSC TWA: None established

NOHSC STEL: None established

8.2 Appropriate engineering controls

General room or local exhaust ventilation is usually required to meet exposure limit(s). Electrical equipment should be grounded and conform to applicable electrical code.

8.3 Individual protection measures

Personal protective equipment:

Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place away from the work area. Never eat, drink, or smoke during use. Remove and wash contaminated clothing before re-using.

Eye/face protection:

Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.

Hand protection:

Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact.

Type of gloves recommended: Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR)) or PVA (Polyvinyl alcohol).

Body protection: Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed.



SECTION 9: PHYSICAL CHEMICAL PROPERTIES

Physical state: Slightly viscous

Color: Amber colored

Odor: Warm, woody, sweet, with maple/brown sugar notes.

Miscibility in water: Insoluble

Miscibility in alcohol: Soluble

Miscibility in essential oil: Soluble

Lip solubility: Liposoluble

pH: Not applicable

Boiling point/boiling range: Not specified

Flash Point: 100°C

Vapor pressure: Not specified

Evaporation rate: Not specified

Density: Not specified

Water solubility: Insoluble

Self-ignition temperature: Not specified

Decomposition point/decomposition range: Not specified

Refractive index @ 20°C: Not specified

Partition coefficient: Not specified

Specific gravity @ 20°C: Not specified

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Not reactive.

10.2 Chemical stability

This substance is stable under the recommended handling and storage conditions in Section 7.

10.3 Possibility of hazardous reactions

When exposed to high temperatures, the substance may release hazardous decomposition products, such as carbon monoxide, carbon dioxide, fumes, and nitrogen oxide.

10.4. Conditions to avoid

None known.

10.5 Incompatible materials

Alkali metals, ammonia, oxidizing agents, peroxides strong inorganic acids.

10.6 Hazardous decomposition products

The thermal decomposition may release/form carbon monoxide (CO) and carbon dioxide (CO₂).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Substance

Acute toxicity:

No data available.

Skin corrosion/irritation:

May be irritating to skin.

Serious eye damage/irritation:

May be irritating to eyes. Prompt rinsing and removal of the substance will avoid damage.

Respiratory sensitization:

Breathing high concentrations of vapor may cause anesthetic effects.

Germ cell mutagenicity:

Not specified

Carcinogenicity:

IARH: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity:

Not specified

STOT-single exposure:

Not specified

STOT-related exposure:

Not specified

Aspiration hazard:

Not specified

11.2 Information on the likely routes of exposure

Skin/scalp contact.

11.3 Symptoms related to the physical, chemical, and toxicological characteristics

None known. Irritation of the eye if exposed. Redness of the skin if irritated.

11.4 Delayed and immediate effects and also chronic effects from short-term and long-term exposure

Exposure to vapors from this solvent in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver, and central nervous system.

Repeated or prolonged contact with the substance may cause removal of natural oil from the skin, resulting in non-allergic contact dermatitis and absorption through the skin. Splashes in the eyes may cause irritation and reversible damage.

11.6 Interactive effects

Not specified

11.7 Where specific chemical data are not available

Not specified

11.8 Substances

Not specified

11.9 Substances verses ingredient information

Not specified

11.10 Other Information

None

SECTION 12: ECOLOGICAL INFORMATION

12.1 Info summery of Ecological information

Balance of data on substance as a whole, not determined.

12.2 Eco toxicological properties of specific substances

See each category below for specific substances

12.3 Toxicity

Acute fish toxicity:

LC50 / 96 HOUR – No data available

Toxicity to aquatic plants – No data available

Toxicity to microorganisms – No data available

Toxicity threshold – No data available

12.4 Persistence and degradability

Biodegradation is expected

12.5 Bio-accumulative potential

Bioaccumulation is unlikely

12.6 Mobility in soil

Unknown

12.7 Other adverse effect

Avoid exposure to marine environments and waterways

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Do not pour into drains or waterways. Observe all federal, state, and local environmental regulations. Member State-specific and Community-specific provisions must be considered. Considering the relevant known environmental and human health hazards of the materials, review and implement appropriate technical and procedural wastewater and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental release. This may include destructive techniques for waste and wastewater. In extreme situations, contact a licensed professional waste disposal service to dispose of this material.

Waste:

Proper waste management of the substance and/or its container must be determined in accordance with Directive 2008/98/EC. Do not pour into drains or waterways. Waste management is carried out without endangering human health, without harming the environment, and in particular without risk to water, air, soil, plants, or animals. Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Soiled packaging:

Empty all containers completely. Keep label(s) on every container. Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

14.1 UN Number

UN 3082

14.2 UN Proper shipping name

Environmentally hazardous substance, liquid, n.o.s.

14.3 Transportation hazard classes

9 – Miscellaneous

14.4 Packing group, if applicable

III

14.5 Environmental hazards

Environmentally hazardous material

14.6 Special precautions for user

Not specified

14.7 Transport in bulk according to Annex II of MARPOL 73/78° and IBC Code

Not specified

14.8 Additional transport information

Not specified

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health, and environmental regulations/legislation specific for the substance

Country	Notification
Canada	Not regulated
EU	See EU Allergens in Section 3
Hong Kong	Not regulated
Singapore	Not regulated
USA	Not regulated by Federal or State Regulations California Prop. 65 Components This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: OTHER INFORMATION

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product